

STOCK AVAILABILITY

Explore our inventory of high-quality surplus materials at exceptional value.

sij metal
ravne



W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.3401	A128 grade A	SIDUR 3401	KV=40±0,8 x 4000+100-0 mm EN 10059	Rolled bar	Square	Quenched		Unmachined	1,315
1.2080	D3	SIHARD 2080	505mm x 25mm x 3226mm	Wide rolled flats	Flat	Soft annealed		Milled and sandblasted	0,334
1.2080	D3	SIHARD 2080	500mm x 50mm x 2957mm	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	2,392
1.2080	D3	SIHARD 2080	500mm x 50mm x 2799mm	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	2,264
1.2080	D3	SIHARD 2080	500mm x 50mm x 2819mm	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	2,280
1.2080	D3	SIHARD 2080	500mm x 60mm x 2363mm	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	1,720
1.2080	D3	SIHARD 2080	306mm x 67mm x 3616mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,444
1.2080	D3	SIHARD 2080	201mm x 25mm x 26879mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	1,090
1.2080	D3	SIHARD 2080	90mm x 25mm x 29400mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,520
1.2080	D3	SIHARD 2080	90mm x 25mm x 39920mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,720
1.2080	D3	SIHARD 2080	120mm x 20mm x 18920mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,355
1.2080	D3	SIHARD 2080	120mm x 25mm x 30320mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,680
1.2080	D3	SIHARD 2080	150mm x 20mm x 44370mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,070
1.2080	D3	SIHARD 2080	110mm x 4906mm	Forged bar	Round	Soft annealed		Peeled	1,098
1.2080	D3	SIHARD 2080	230mm x 2385mm	Forged bar	Round	Soft annealed		Turned	0,778
1.2080	D3	SIHARD 2080	120mm x 15mm x 13800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,205
1.2080	D3	SIHARD 2080	70mm x 15mm x 51040mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,445
1.2080	D3	SIHARD 2080	80mm x 9280mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,365
1.2080	D3	SIHARD 2080	70mm x 11850mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,350
1.2080	D3	SIHARD 2080	45mm x 33110mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,370
1.2080	D3	SIHARD 2080	80mm x 20mm x 45840mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,400
1.2080	D3	SIHARD 2080	50mm x 25mm x 107580mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,070
1.2080	D3	SIHARD 2080	50mm x 25mm x 19520mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,155
1.2080	D3	SIHARD 2080	80mm x 15mm x 13860mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,130
1.2080	D3	SIHARD 2080	50mm x 20mm x 58440mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,470
1.2080	D3	SIHARD 2080	60mm x 30mm x 13680mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,190
1.2080	D3	SIHARD 2080	100mm x 10mm x 47700mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,365
1.2080	D3	SIHARD 2080	201mm x 20mm x 8240mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	0,260
1.2080	D3	SIHARD 2080	150mm x 25mm x 8780mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,270
1.2080	D3	SIHARD 2080	90mm x 25mm x 29760mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,540
1.2080	D3	SIHARD 2080	100mm x 20mm x 16440mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,275
1.2080	D3	SIHARD 2080	90mm x 35mm x 31519mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,910
1.2080	D3	SIHARD 2080	90mm x 35mm x 63039mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,285
1.2080	D3	SIHARD 2080	80mm x 25mm x 28770mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,435
1.2080	D3	SIHARD 2080	60mm x 40mm x 9120mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,270
1.2080	D3	SIHARD 2080	80mm x 30mm x 13800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,255
1.2080	D3	SIHARD 2080	120mm x 20mm x 27600mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,520
1.2080	D3	SIHARD 2080	150mm x 15mm x 57840mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,035
1.2080	D3	SIHARD 2080	90mm x 25mm x 89279mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,080
1.2316		SIHARD 2316	1250mm x 260mm x 3063mm DIN 7527/6	Forged bar	Flat	Hardened and tempered	ESR	Unmachined	7,815
1.2327		SIHARD 2327	D=260+2-0 x 690-1400 multiplier 690+10-0 mm	Forged bar	Round	Soft annealed		Turned	0,589
1.2327		SIHARD 2327	D=201+1-0 x 1755-6000 multiplier 1755+10-0 mm	Forged bar	Round	Soft annealed		Peeled	0,878
1.2327		SIHARD 2327	D=210+2-0 x 770+10-0 mm	Forged bar	Round	Soft annealed		Turned	0,214
1.2327		SIHARD 2327	D=123+1-0 x 1360-6000 multiplier 1360+10-0 mm	Forged bar	Round	Soft annealed		Peeled	0,510
1.2327		SIHARD 2327	D=210+2-0 x 770+10-0 mm	Forged bar	Round	Soft annealed		Turned	0,214
~1.2357	~S 7	SIHARD 2357	35mm x 259920mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,184
~1.2357	~S 7	SIHARD 2357	205mm x 3691mm	Forged bar	Round	Soft annealed		Peeled	0,952
~1.2357	~S 7	SIHARD 2357	47,63mm x 7,62mm x 120000mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,360
~1.2357	~S 7	SIHARD 2357	35mm x 404320mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,170
~1.2357	~S 7	SIHARD 2357	35mm x 115520mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,600
~1.2357	~S 7	SIHARD 2357	D=88,9+0,77+1,77 x 2740-4270 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,492
~1.2357	~S 7	SIHARD 2357	57mm x 49460mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,116
1.2360		SIHARD 2360	PL=165±3,3 x 17,5+0,8-0,4 x 4000+50-0 mm DIN 59200	Rolled bar	Flat	Soft annealed		Sandblasted	1,845
1.2361		SIHARD 2361	140mm x 5064mm	Forged bar	Round	Soft annealed		Peeled	1,224
1.2361		SIHARD 2361	D=80+0-0,074 x 3000+200-0 mm EN 10278 (h9)	Rolled bar	Round	Soft annealed		Grinded and polished	0,238
1.2361		SIHARD 2361	D=80+0-0,074 x 3000+200-0 mm EN 10278 (h9)	Rolled bar	Round	Soft annealed		Grinded and polished	1,074
1.2361		SIHARD 2361	105mm x 4943mm	Forged bar	Round	Soft annealed		Peeled	1,970
1.2361		SIHARD 2361	95mm x 47850mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,386
1.2361		SIHARD 2361	95mm x 69600mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,124
1.2361		SIHARD 2361	75mm x 36600mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,184
1.2361		SIHARD 2361	65mm x 12200mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,290
1.2361		SIHARD 2361	375mm x 3599mm	Forged bar	Round	Soft annealed		Turned	3,064
1.2361		SIHARD 2361	104mm x 26mm x 22012mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,460
1.2361, 1.4112		SIHARD 2361, SINOXX 4112	400mm x 65mm x 3304mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	1,400
1.2363	A2	SIHARD 2363	70mm x 60mm x 27250mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,780
1.2363	A2	SIHARD 2363	70mm x 60mm x 16350mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,565

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.2363	A2	SIHARD 2363	70mm x 60mm x 6812mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,185
1.2363	A2	SIHARD 2363	96mm x 3970mm	Forged bar	Round	Soft annealed		Peeled	1,12
1.2363	A2	SIHARD 2363	96mm x 3963mm	Forged bar	Round	Soft annealed		Peeled	1,118
1.2363	A2	SIHARD 2363	96mm x 4027mm	Forged bar	Round	Soft annealed		Peeled	1,136
1.2363	A2	SIHARD 2363	96mm x 3985mm	Forged bar	Round	Soft annealed		Peeled	1,124
1.2363	A2	SIHARD 2363	96mm x 3999mm	Forged bar	Round	Soft annealed		Peeled	1,128
1.2363	A2	SIHARD 2363	102mm x 2848mm	Forged bar	Round	Soft annealed		Peeled	1,298
1.2363	A2	SIHARD 2363	205mm x 3584mm	Forged bar	Round	Soft annealed		Peeled	2,735
1.2363	A2	SIHARD 2363	179mm x 2903mm	Forged bar	Round	Soft annealed		Peeled	1,58
1.2363	A2	SIHARD 2363	420mm x 300mm x 1446mm	Forged bar	Flat	Soft annealed		4-sided milled	1,430
1.2363	A2	SIHARD 2363	420mm x 300mm x 2502mm	Forged bar	Flat	Soft annealed		4-sided milled	2,475
1.2375		SIHARD 2375	D=137+1-0 x 2180-6000 multiplier 2180+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,255
1.2375		SIHARD 2375	D=245+2-0 x 874-6000 multiplier 874+10-0 mm	Forged bar	Round	Soft annealed		Turned	1,630
1.2375		SIHARD 2375	137mm x 4378mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,520
1.2375		SIHARD 2375	137mm x 6568mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,760
1.2375		SIHARD 2375	102mm x 1174mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,226
1.2375		SIHARD 2375	D=137+1-0 x 1558-6000 multiplier 1558+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,086
1.2375		SIHARD 2375	D=137+1-0 x 1558-6000 multiplier 1558+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,090
1.2379	D2	SIHARD 2379	31mm x 243320mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,235
1.2379	D2	SIHARD 2379	40mm x 17400mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,135
1.2379	D2	SIHARD 2379	51mm x 28480mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,686
1.2379	D2	SIHARD 2379	51mm x 17800mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,868
1.2379	D2	SIHARD 2379	260mm x 3052mm	Forged bar	Round	Soft annealed		Turned	1,272
1.2379	D2	SIHARD 2379	82mm x 82mm x 4755mm DIN 7527/6	Forged bar	Square	Soft annealed		Unmachined	1,506
1.2379	D2	SIHARD 2379	82mm x 82mm x 4408mm DIN 7527/6	Forged bar	Square	Soft annealed		Unmachined	1,396
1.2379	D2	SIHARD 2379	82mm x 82mm x 4191mm DIN 7527/6	Forged bar	Square	Soft annealed		Unmachined	1,106
1.2379	D2	SIHARD 2379	120mm x 120mm x 5072mm DIN 7527/6	Forged bar	Square	Spheroidization annealed		Sandblasted	1,720
1.2379	D2	SIHARD 2379	100mm x 70mm x 3000-5000mm W: +(2,6-0mm) T: +(2,6-0mm)	Forged bar	Flat	Spheroidization annealed		Sandblasted	0,860
1.2379	D2	SIHARD 2379	120mm x 80mm x 3000-5000mm W: +(3-0mm) T: +(2,6-0mm)	Forged bar	Flat	Spheroidization annealed		Sandblasted	0,620
1.2379	D2	SIHARD 2379	300mm x 40mm x 3154mm	Wide rolled flats	Flat	Spheroidization annealed		Milled and sandblasted	1,278
1.2379	D2	SIHARD 2379	505mm x 80mm x 3015mm	Rolled bar	Flat	Spheroidization annealed		Milled width and sandblasted	1,970
1.2379	D2	SIHARD 2379	63mm x 32mm x 43440mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,680
1.2379	D2	SIHARD 2379	63mm x 32mm x 227920mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,900
1.2379	D2	SIHARD 2379	82mm x 47mm x 195299mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,875
1.2379	D2	SIHARD 2379	79mm x 20mm x 140399mm	Rolled bar	Flat	Soft annealed		Unmachined	1,585
1.2379	D2	SIHARD 2379	79mm x 20mm x 62399mm	Rolled bar	Flat	Soft annealed		Unmachined	0,785
1.2379	D2	SIHARD 2379	41mm x 21mm x 262350mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,625
1.2379	D2	SIHARD 2379	41mm x 21mm x 467460mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,420
1.2379	D2	SIHARD 2379	41mm x 21mm x 667800mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,390
1.2379	D2	SIHARD 2379	50mm x 50mm x 77579mm EN 10059	Rolled bar	Square	Spheroidization annealed		Sandblasted	0,800
1.2379	D2	SIHARD 2379	101mm x 26mm x 908160mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,365
1.2379	D2	SIHARD 2379	PL=80±0,75 x 25±0,5 x 3000-6000 mm EN 10058½	Rolled bar	Flat	Soft annealed		Sandblasted	1,200
1.2379	D2	SIHARD 2379	PL=250±5 x 15+0,8-0,4 x 2000-4000 mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	2,085
1.2379	D2	SIHARD 2379	107mm x 27mm x 206400mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,060
1.2379	D2	SIHARD 2379	101mm x 26mm x 1702800mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,410
1.2379	D2	SIHARD 2379	101mm x 26mm x 113520mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,950
1.2379	D2	SIHARD 2379	107mm x 27mm x 838500mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,085
1.2379	D2	SIHARD 2379	107mm x 27mm x 567600mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,090
1.2379	D2	SIHARD 2379	100mm x 30mm x 37260mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,710
1.2379	D2	SIHARD 2379	90mm x 50mm x 22620mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,510
1.2379	D2	SIHARD 2379	251mm x 40mm x 13680mm DIN 59200	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,045
1.2379	D2	SIHARD 2379	142mm x 60mm x 116399mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	2,025
1.2379	D2	SIHARD 2379	142mm x 60mm x 98939mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,730
1.2379	D2	SIHARD 2379	80mm x 25mm x 73809mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,030
1.2379	D2	SIHARD 2379	142mm x 60mm x 72749mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,980
1.2379	D2	SIHARD 2379	333mm x 3262mm	Forged bar	Round	Soft annealed	ESR	Turned	2,530
1.2379	D2	SIHARD 2379	333mm x 1299mm	Forged bar	Round	Soft annealed	ESR	Turned	0,580
1.2379	D2	SIHARD 2379	181mm x 2728mm	Forged bar	Round	Soft annealed		Peeled	1,102
1.2379	D2	SIHARD 2379	102mm x 25mm x 62240mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,245
1.2379	D2	SIHARD 2379	102mm x 25mm x 213949mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,650
1.2379	D2	SIHARD 2379	102mm x 25mm x 132259mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,400
1.2379	D2	SIHARD 2379	122mm x 50mm x 48000mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,905
1.2379	D2	SIHARD 2379	150mm x 20mm x 44370mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,090
1.2379	D2	SIHARD 2379	67mm x 13mm x 72640mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,535
1.2379	D2	SIHARD 2379	122mm x 50mm x 127999mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,905
1.2379	D2	SIHARD 2379	150mm x 70mm x 4355mm DIN 7527/6	Forged bar	Flat	Soft annealed		Sandblasted	1,436
1.2379	D2	SIHARD 2379	150mm x 70mm x 4400mm DIN 7527/6	Forged bar	Flat	Soft annealed		Sandblasted	2,176
1.2379	D2	SIHARD 2379	235mm x 3010mm	Forged bar	Round	Soft annealed		Turned	1,025
1.2379	D2	SIHARD 2379	235mm x 2981mm	Forged bar	Round	Soft annealed		Turned	1,015
1.2379	D2	SIHARD 2379	235mm x 2966mm	Forged bar	Round	Soft annealed		Turned	1,010
1.2379	D2	SIHARD 2379	120mm x 30mm x 95199mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	2,705
1.2379	D2	SIHARD 2379	62mm x 32mm x 82799mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,175
1.2379	D2	SIHARD 2379	62mm x 32mm x 198719mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,835
1.2379	D2	SIHARD 2379	PL=395+2-0 x 28+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	1,524
1.2379	D2	SIHARD 2379	PL=53±0,75 x 31,5±0,5 x 3000-6000 mm EN 10058½	Rolled bar	Flat	Soft annealed		Sandblasted	0,450
1.2379	D2	SIHARD 2379	90mm x 50mm x 45719mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,600

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.2379	D2	SIHARD 2379	63mm x 32mm x 113960mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,900
1.2379	D2	SIHARD 2379	82mm x 47mm x 130199mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	3,055
1.2379	D2	SIHARD 2379	142mm x 60mm x 81479mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,000
1.2379	D2	SIHARD 2379	122mm x 50mm x 87999mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	1,905
1.2379	D2	SIHARD 2379	500mm x 95mm x 2892mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,222
1.2379	D2	SIHARD 2379	500mm x 55mm x 2302mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,048
1.2379	D2	SIHARD 2379	500mm x 25mm x 3081mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	0,632
1.2379	D2	SIHARD 2379	505mm x 70mm x 2000-4000mm W: +(±2-0mm) T: +(±4-0mm)	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	0,842
1.2379	D2	SIHARD 2379	505mm x 80mm x 2000-4000mm W: +(±2-0mm) T: +(±4-0mm)	Wide rolled flats	Flat	Spheroidization annealed		Milled width and sandblasted	0,890
1.2379	D2	SIHARD 2379	41mm x 21mm x 193185mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,295
1.2379	D2	SIHARD 2379	505mm x 50mm x 2806,48mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	2,292
1.2436		SIHARD 2436	100mm x 100mm x 2051mm	Rolled Billet	Square	Annealed		100% grinded	1,576
1.2436		SIHARD 2436	305mm x 50mm x 2614mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	0,660
1.2436		SIHARD 2436	305mm x 40mm x 3208mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	0,33
1.2436		SIHARD 2436	355mm x 50mm x 2508mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	0,366
1.2436		SIHARD 2436	355mm x 35mm x 3335mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	0,692
1.2436		SIHARD 2436	123mm x 58mm x 14520mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,730
1.2436		SIHARD 2436	104mm x 10mm x 236880mm	Rolled bar	Flat	Soft annealed		Unmachined	1,295
1.2436		SIHARD 2436	100mm x 40mm x 20580mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,545
1.2436		SIHARD 2436	234mm x 16mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	0,685
1.2436		SIHARD 2436	100mm x 100mm x 2109mm	Rolled Billet	Square	Annealed		100% grinded	1,620
1.2436		SIHARD 2436	100mm x 100mm x 2043mm	Rolled Billet	Square	Annealed		100% grinded	1,570
1.2436		SIHARD 2436	355mm x 35mm x 2782mm	Wide rolled flats	Flat	Soft annealed		Milled width	0,580
1.2436		SIHARD 2436	100mm x 100mm x 1999mm	Rolled Billet	Square	Annealed		100% grinded	1,536
1.2436		SIHARD 2436	100mm x 100mm x 2059mm	Rolled Billet	Square	Annealed		100% grinded	1,582
1.2510	O1	SIHARD 2510	PL=43±1 x 11±0,5 x 3000-5000 mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	2,050
1.2510	O1	SIHARD 2510	KV=28±0,6 x 4410±50-0 mm EN 10059	Rolled bar	Square	Soft annealed		Sandblasted	1,650
1.2510	O1	SIHARD 2510	PL=505+2-0 x 40+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	1,168
1.2510	O1	SIHARD 2510	PL=505+2-0 x 26+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	0,845
1.2510	O1	SIHARD 2510	514mm x 70mm x 3240mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,754
1.2510	O1	SIHARD 2510	500mm x 95mm x 3408mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,608
1.2510	O1	SIHARD 2510	500mm x 55mm x 3858mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	2,564
1.2746		SIHARD 2746	201mm x 96mm x 3467mm	Wide rolled flats	Flat	Soft annealed		4-sided milled	1,212
1.2746		SIHARD 2746	165mm x 71mm x 3027mm	Wide rolled flats	Flat	Soft annealed		4-sided milled	0,662
1.2746		SIHARD 2746	225mm x 114mm x 2612mm	Forged bar	Flat	Soft annealed		4-sided milled	0,526
1.2746		SIHARD 2746	225mm x 114mm x 3228mm	Forged bar	Flat	Soft annealed		4-sided milled	1,300
1.2746		SIHARD 2746	225mm x 114mm x 3387mm	Forged bar	Flat	Soft annealed		4-sided milled	0,682
1.2746		SIHARD 2746	225mm x 114mm x 3387mm	Forged bar	Flat	Soft annealed		4-sided milled	0,682
1.2746		SIHARD 2746	225mm x 114mm x 3328mm	Forged bar	Flat	Soft annealed		4-sided milled	0,670
1.2746		SIHARD 2746	204mm x 182mm x 4872mm	Forged bar	Flat	Soft annealed		4-sided milled	1,420
1.2746		SIHARD 2746	204mm x 182mm x 4306mm	Forged bar	Flat	Soft annealed		4-sided milled	1,255
1.2746		SIHARD 2746	196mm x 60mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	2,205
1.2746		SIHARD 2746	467mm x 3116,17mm	Forged bar	Round	Spheroidization annealed		Turned	4,190
1.2767		SIHARD 2767	207mm x 185mm x 2146mm	Forged bar	Flat	Soft annealed		4-sided milled	0,645
1.2767		SIHARD 2767	207mm x 185mm x 4318mm	Forged bar	Flat	Soft annealed		4-sided milled	1,298
1.2767		SIHARD 2767	207mm x 185mm x 4324mm	Forged bar	Flat	Soft annealed		4-sided milled	1,300
1.2767		SIHARD 2767	207mm x 185mm x 1098mm	Forged bar	Flat	Soft annealed		4-sided milled	0,330
1.2767		SIHARD 2767	207mm x 185mm x 4324mm	Forged bar	Flat	Soft annealed		4-sided milled	1,300
1.2767		SIHARD 2767	207mm x 185mm x 4324mm	Forged bar	Flat	Soft annealed		4-sided milled	1,300
1.2767		SIHARD 2767	207mm x 185mm x 3776mm	Forged bar	Flat	Soft annealed		4-sided milled	1,135
1.2767		SIHARD 2767	207mm x 185mm x 2661mm	Forged bar	Flat	Soft annealed		4-sided milled	0,800
1.2767		SIHARD 2767	207mm x 185mm x 3792mm	Forged bar	Flat	Soft annealed		4-sided milled	1,140
1.2767		SIHARD 2767	207mm x 185mm x 4324mm	Forged bar	Flat	Soft annealed		4-sided milled	1,300
1.2767		SIHARD 2767	207mm x 185mm x 4358mm	Forged bar	Flat	Soft annealed		4-sided milled	1,310
1.2767		SIHARD 2767	207mm x 185mm x 3792mm	Forged bar	Flat	Soft annealed		4-sided milled	1,140
1.2767		SIHARD 2767	207mm x 185mm x 1084mm	Forged bar	Flat	Soft annealed		4-sided milled	0,652
1.2767		SIHARD 2767	PL=115+3-0 x 18±0,25 x 3000-6000 mm EN 10058½+½	Rolled bar	Flat	Soft annealed		Sandblasted	2,050
1.2767		SIHARD 2767	73mm x 24mm x 53465mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,525
1.2767		SIHARD 2767	148mm x 43mm x 20800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,800
1.2767		SIHARD 2767	106mm x 34mm x 114899mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	2,015
1.2767		SIHARD 2767	134mm x 33mm x 25680mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,935
1.2767		SIHARD 2767	134mm x 33mm x 25680mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,260
1.2767		SIHARD 2767	134mm x 33mm x 44940mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,930
1.2767		SIHARD 2767	134mm x 33mm x 67209mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,480
1.2767		SIHARD 2767	80mm x 40mm x 98559mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,140
1.2767		SIHARD 2767	80mm x 40mm x 295678mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	2,245
1.2767		SIHARD 2767	80mm x 40mm x 429437mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,840
1.2767		SIHARD 2767	80mm x 40mm x 140799mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,145
1.2767		SIHARD 2767	80mm x 40mm x 211199mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,875
1.2767		SIHARD 2767	80mm x 40mm x 580796mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,850
1.2767		SIHARD 2767	80mm x 40mm x 510397mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	2,135
1.2767		SIHARD 2767	80mm x 40mm x 359038mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,680
1.2767		SIHARD 2767	132mm x 60mm x 12390mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,820
1.2767		SIHARD 2767	505mm x 80mm x 3865mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	1,258
1.2767		SIHARD 2767	87mm x 42000mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,875
1.2767		SIHARD 2767	133mm x 42mm x 23198mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,980

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.2767		SIHARD 2767	201mm x 42mm x 47794mm DIN 59200	Rolled bar	Flat	Soft annealed		Sandblasted	1,060
1.2833	W2 (C 1,00%)	SIHARD 2833	PL=107+3-0 x 36+1-0 x 3000-5000 mm - tol./dim. target +2/-0 mm	Rolled bar	Flat	Soft annealed		Sandblasted	2,205
1.2842	O2	SIHARD 2842	D=100+0,6-0 x 3500-4500 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,215
1.2842	O2	SIHARD 2842	D=573+3-0 x 2000-3000 mm	Forged bar	Round	Soft annealed		Turned	2,100
1.2842	O2	SIHARD 2842	PL=40+2-0 x 25+2-0 x 3000-5000 mm EN 10058++	Rolled bar	Flat	Soft annealed		Sandblasted	0,445
1.2842	O2	SIHARD 2842	D=50+0,6-0 x 1200-5000 multiplier 1200+50-0 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,46
1.2842	O2	SIHARD 2842	120mm x 40mm x 14070mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,475
1.2842	O2	SIHARD 2842	150mm x 15mm x 32000mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,570
1.2842	O2	SIHARD 2842	251mm x 25mm x 18000mm DIN 59200	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,71
1.2842	O2	SIHARD 2842	251mm x 60mm x 9020mm DIN 59200	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,000
1.2842	O2	SIHARD 2842	505mm x 80mm x 3862,64mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	2,514
1.2842	O2	SIHARD 2842	25,06mm x 25,0627mm x 432799mm EN 10059	Rolled bar	Square	Soft annealed		Unmachined	1,2
custom made		SIHARD K130	58mm x 36000mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,385
	S 5	SIHARD K140	185mm x 19mm x 69599mm	Rolled bar	Flat	Spheroidization annealed		Unmachined	0,945
	S 5	SIHARD K140	195mm x 19mm x 34800mm	Rolled bar	Flat	Spheroidization annealed		Unmachined	0,995
1.2360 mod		SIHARD K560	PL=255+2-0 x 67+4-0 x 1800-3600 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - sandblasted	0,348
1.2360 mod		SIHARD K560	PL=74±0,75 x 42±0,75 x 1570-6000 multiplier 1570+100-0 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,550
1.2360 mod		SIHARD K560	PL=74±0,75 x 42±0,75 x 1030-6000 multiplier 1030+100-0 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,255
1.2360 mod		SIHARD K560	PL=74±0,75 x 42±0,75 x 1190-6000 multiplier 1190+100-0 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,180
1.2360 mod		SIHARD K560	PL=167+5,01-0 x 20+0,7-0 x 3000-5800 mm DIN 59200¼½+	Rolled bar	Flat	Soft annealed		Unmachined	1,070
1.2360 mod		SIHARD K560	PL=54+3-0 x 7+0,75-0 x 3000-5800 mm	Rolled bar	Flat	Soft annealed		Unmachined	0,94
1.2360 mod		SIHARD K560	PL=187,8+5,634-0 x 17,4+0,6-0 x 3000-5000 mm DIN 59200¼½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,390
1.2360 mod		SIHARD K560	PL=203,9+3,1-1,9 x 22,25±0,5 x 1105-4420 multiplier 1105+50-0 mm	Rolled bar	Flat	Spheroidization annealed		Unmachined	1,000
1.2360 mod		SIHARD K560	PL=63±0,75 x 8,5±0,25 x 896-6000 multiplier 896+100-0 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,44
1.2360 mod		SIHARD K560	PL=83±1,125 x 31,5±0,5 x 3000-6000 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,760
1.2360 mod		SIHARD K560	PL=83±1,125 x 31,5±0,5 x 3000-6000 mm EN 10058¼½	Rolled bar	Flat	Soft annealed		Sandblasted	0,365
1.2360 mod		SIHARD K560	PL=104,5±1,5 x 11,25±0,25 x 1205-4820 multiplier 1205+50-0 mm	Rolled bar	Flat	Spheroidization annealed		Unmachined	0,54
1.2360 mod		SIHARD K560	130mm x 13mm x 113556mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,675
1.2360 mod		SIHARD K560	130mm x 13mm x -734400mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,020
1.2360 mod		SIHARD K560	75mm x 26mm x 85999mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,435
1.2360 mod		SIHARD K560	115mm x 21mm x 73599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,410
1.2360 mod		SIHARD K560	83mm x 28mm x 78399mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,460
1.2360 mod		SIHARD K560	156mm x 16mm x 111119mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	1,660
1.2360 mod		SIHARD K560	213mm x 21mm x 44820mm	Rolled bar	Flat	Soft annealed		Unmachined	1,630
1.2360 mod		SIHARD K560	193mm x 22mm x 89999mm	Rolled bar	Flat	Soft annealed		Unmachined	1,520
1.2360 mod		SIHARD K560	193mm x 22mm x 45000mm	Rolled bar	Flat	Soft annealed		Unmachined	1,525
1.2360 mod		SIHARD K560	35mm x 35mm x 314999mm	Rolled bar	Square	Soft annealed		Unmachined	1,605
1.2360 mod		SIHARD K560	190mm x 21mm x 97739mm DIN 59200	Rolled bar	Flat	Soft annealed		Unmachined	1,600
1.2360 mod		SIHARD K560	133mm x 17mm x 135119mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,820
1.2360 mod		SIHARD K560	134,34mm x 15,7393mm x 75449mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,115
1.2360 mod		SIHARD K560	155mm x 47mm x 20520mm DIN 59200	Rolled bar	Flat	Soft annealed		Sandblasted	1,165
1.2360 mod		SIHARD K560	68mm x 27mm x 20400mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,305
1.2360 mod		SIHARD K560	203mm x 18mm x 24920mm DIN 59200	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,595
1.2360 mod		SIHARD K560	102mm x 31800mm	Rolled bar	Round	Spheroidization annealed		Rough-peeled	1,970
custom made		SIHARD K770	PL=59+1,5-0 x 29+1-0 x 3000-5000 mm EN 10058¼½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,160
custom made		SIHARD K770	PL=59+1,5-0 x 29+1-0 x 3000-5000 mm EN 10058¼½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,145
custom made		SIHARD K770	59mm x 29mm x 1290960mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,880
custom made		SIHARD K770	59mm x 29mm x 1251840mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,900
custom made		SIHARD K770	59mm x 29mm x 171150mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,855
custom made		SIHARD K770	59mm x 29mm x 715200mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,850
custom made		SIHARD K770	59mm x 29mm x 580800mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,855
custom made		SIHARD K770	59mm x 29mm x 849600mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,845
custom made		SIHARD K770	59mm x 29mm x 446400mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,845
custom made		SIHARD K770	59mm x 29mm x 2630400mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,885
custom made		SIHARD K770	59mm x 29mm x 2496000mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,895
custom made		SIHARD K770	59mm x 29mm x 2092800mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,865
custom made		SIHARD K770	59mm x 29mm x 2227200mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,885
custom made		SIHARD K770	59mm x 29mm x 2361600mm EN 10058	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,865
custom made		SIHARD K770	PL=40+1,5-0 x 12+0,5-0 x 3000-4000 mm EN 10058¼½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,345
custom made		SIHARD K770	PL=59+1,5-0 x 29+1-0 x 3000-5000 mm EN 10058¼½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	2,170
		SIHARD K771	PL=40±1 x 30+2-0 x 3000-6000 mm EN 10058+	Rolled bar	Flat	Soft annealed		Unmachined	1,815
		SIHARD K771	PL=40±1 x 30+2-0 x 3000-6000 mm EN 10058+	Rolled bar	Flat	Soft annealed		Unmachined	2,405
		SIHARD K771	PL=40±1 x 30+2-0 x 3000-6000 mm EN 10058+	Rolled bar	Flat	Soft annealed		Unmachined	2,120
		SIHARD K771	PL=40±1 x 30+2-0 x 3000-6000 mm EN 10058+	Rolled bar	Flat	Soft annealed		Unmachined	2,065
custom made		SIHARD R241		Forging	Forging	Soft annealed	ESR	Unmachined	2,578
custom made		SIHARD R241		Forging	Forging	Soft annealed	ESR	Unmachined	1,580
custom made		SIHARD R241		Forging	Forging	Soft annealed		Unmachined	6,348
custom made		SIHARD R243	D=340+3-0 x 2251-6000 multiplier 2251+10-0 mm	Forged bar	Round	Soft annealed		Turned	1,630
custom made		SIHARD R243		Forging	Forging	Soft annealed		Unmachined	0,495
custom made		SIHARD R245		Forging	Forging	Hardened and tempered		Unmachined	4,171
custom made		SIHARD R245	225mm x 1922mm	Forged bar	Round	Soft annealed		Turned	0,600
custom made		SIHARD R245	225mm x 3819mm	Forged bar	Round	Soft annealed		Turned	1,192
custom made		SIHARD R245	225mm x 3819mm	Forged bar	Round	Soft annealed		Turned	1,192
custom made		SIHARD R245	225mm x 1922mm	Forged bar	Round	Soft annealed		Turned	0,600
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,950
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,950

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,950
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,950
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,950
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,933
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,933
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,933
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,933
custom made		SIHARD R245		Forging	Forging	Soft annealed	ESR	Unmachined	0,925
custom made		SIHARD R246		Forging	Forging	Soft annealed		Unmachined	1,619
custom made		SIHARD R246		Forging	Forging	Soft annealed	ESR	Unmachined	1,249
custom made		SIHARD R340		Forging	Forging	Soft annealed		Unmachined	2,740
custom made		SIHARD R340		Forging	Forging	Soft annealed		Unmachined	7,2
custom made		SIHARD R340	× 4839mm	Forging	Forging	Soft annealed		Unmachined	7,200
		SIHARD R342	620mm × 802mm × 2462mm	Forging	Forging	Soft annealed		Unmachined	5,835
		SIHARD R342	802mm × 802mm × 1471mm	Forging	Forging	Soft annealed		Unmachined	5,835
		SIHARD R342	802mm × 802mm × 1471mm	Forging	Forging	Soft annealed		Unmachined	5,835
		SIHARD R342	620mm × 802mm × 2462mm	Forging	Forging	Soft annealed		Unmachined	5,835
custom made		SIHARD R350		Forging	Forging	Soft annealed	ESR	Unmachined	7,557
custom made		SIHARD R350	D=165+1-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Peeled	4,052
custom made		SIHARD R350	D=165+1-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Peeled	2,370
custom made		SIHARD R350		Forging	Forging	Hardened and tempered		Unmachined	2,132
custom made		SIHARD R350	40mm × 38240mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,355
custom made		SIHARD R350		Forging	Forging	Hardened and tempered		Unmachined	1,870
custom made		SIHARD R350		Forging	Forging	Soft annealed		Unmachined	0,972
custom made		SIHARD R350		Forging	Forging	Soft annealed		Unmachined	0,972
custom made		SIHARD R350		Forging	Forging	Soft annealed		Unmachined	0,972
custom made		SIHARD R350		Forging	Forging	Soft annealed		Unmachined	0,972
custom made		SIHARD R350		Forging	Forging	Soft annealed		Unmachined	0,972
custom made		SIHARD S460	66mm × 87336mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,955
custom made		SIHARD S460	53mm × 42mm × -53100mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,540
custom made		SIHARD S460	278mm × 3159mm	Forged bar	Round	Soft annealed	ESR	Turned	1,505
custom made		SIHARD S471	PL=59+1,5-0 x 29+1-0 x 3000-5000 mm EN 10058½+½+	Rolled bar	Flat	Soft annealed		Sandblasted	1,965
custom made		SIHARD S471	75mm × 27,5mm × 5000-6000mm W: ±1mm T: ±1mm	Rolled bar	Flat	Spheroidization annealed		Sandblasted	0,345
custom made		SIHARD S471	42mm × 22mm × 69120mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,495
custom made		SIHARD S471	505mm × 103mm × 3220mm	Forged bar	Flat	Spheroidization annealed		4-sided Milled	1,315
custom made		SIHARD S471	141mm × 4961mm	Forged bar	Round	Spheroidization annealed		Peeled	2,436
custom made		SIHARD S471	172mm × 3751mm	Forged bar	Round	Spheroidization annealed		Peeled	1,370
custom made		SIHARD S471	172mm × 3779mm	Forged bar	Round	Spheroidization annealed		Peeled	1,380
custom made		SIHARD S471	92,23mm × 27,0677mm × 28749,67mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,540
custom made		SIHARD S471	92,23mm × 27,0677mm × 34499,6mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,670
custom made		SIHARD S471	92,23mm × 27,0677mm × 17249,75mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,335
custom made		SIHARD S471	109,27mm × 39,599mm × 22119,75mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,715
custom made		SIHARD S471	109,27mm × 39,599mm × 27649,69mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,955
custom made		SIHARD S471	109,27mm × 39,599mm × 27649,69mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,845
custom made		SIHARD S471	65,86mm × 33,584mm × 28019,8mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,480
custom made		SIHARD S471	92,23mm × 27,0677mm × 34499,6mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,665
		SIHARD S671	D=114+1-0 x 2285+10-0 mm	Forged bar	Round	Soft annealed		Peeled	0,184
		SIHARD S671	PL=130+2-0 x 85+2-0 x 1200-6000 mm	Forged bar	Flat	Soft annealed		4-sided milled	0,388
1.2083		SIMOLD 2083	41mm × 362240mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,898
1.2311	Approx. P20 mod	SIMOLD 2311	194mm × 30mm × 11496mm DIN 59200	Rolled bar	Flat	Soft annealed		Sandblasted	0,485
1.2312		SIMOLD 2312	1010mm × 150mm × 2186mm DIN 7527/6	Forged bar	Flat	Hardened and tempered [QT]		Unmachined	2,600
1.2312		SIMOLD 2312	110mm × 30mm × 34900mm EN 10058	Rolled bar	Flat	Quenched and tempered and stress-free annealed		Unmachined	0,950
1.2312		SIMOLD 2312	D=380+3-0 x 4000-5000 mm	Forged bar	Round	Hardened and tempered		Turned	3,510
1.2312		SIMOLD 2312	43mm × 22mm × 253799mm	Rolled bar	Flat	Hardened and tempered [QT]		Unmachined	1,860
1.2312		SIMOLD 2312	D=161+1-0 x 3000-6000 mm	Forged bar	Round	Hardened and tempered		Peeled	1,464
1.2312		SIMOLD 2312	282mm × 3557,04mm	Forged bar	Round	Hardened and tempered		Turned	1,744
1.2316		SIMOLD 2316	1250mm × 130mm × 4735mm DIN 7527/6	Forged bar	Flat	Hardened and tempered	ESR	Unmachined	6,040
1.2550	~S1	SIMOLD 2550	505mm × 45mm × 3363mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	2,462
1.2550	~S1	SIMOLD 2550	505mm × 45mm × 3428mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	2,510
1.2550	~S1	SIMOLD 2550	505mm × 35mm × 2796mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	1,592
1.2550	~S1	SIMOLD 2550	505mm × 35mm × 3576mm	Wide rolled flats	Flat	Soft annealed		Milled width and sandblasted	2,036
1.2550	~S1	SIMOLD 2550	D=35+0,6-0 x 3000-5000 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,565
1.4006	S41000/410	SINOXX 4006	82mm × 72mm × 2266mm DIN 7527/6	Forged bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,210
1.4006	S41000/410	SINOXX 4006	82mm × 72mm × 2877mm DIN 7527/6	Forged bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,400
1.4028	S42020/ ~420F 420	SINOXX 4028	KV=180±5,4 x 4500-5500 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,082
1.4028	S42020/ ~420F 420	SINOXX 4028	D=95+0,6-0 x 5000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,545
1.4034	~420	SINOXX 4034	300mm × 300mm × 3779mm	Forged billet	Square	Soft annealed		Selectively grinded	2,670
1.4034	~420	SINOXX 4034	300mm × 300mm × 3857mm	Forged billet	Square	Soft annealed		Selectively grinded	2,725
1.4034	~420	SINOXX 4034	D=130+1-0 x 2000-5000 mm	Forged bar	Round	Soft annealed		Peeled	2,066
1.4044	431	SINOXX 4044	PL=500+2-0 x 60+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,370
1.4044	431	SINOXX 4044	PL=500+2-0 x 60+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,230
1.4044	431	SINOXX 4044	PL=500+2-0 x 30+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	1,640
1.4044	431	SINOXX 4044	PL=500+2-0 x 30+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	1,900
1.4044	431	SINOXX 4044	PL=500+2-0 x 40+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,400
1.4044	431	SINOXX 4044	PL=500+2-0 x 35+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,840
1.4044	431	SINOXX 4044	PL=500+2-0 x 35+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,900

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.4044	431	SINOXX 4044	PL=500+2-0 x 35+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,490
1.4044	431	SINOXX 4044	PL=500+2-0 x 40+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	1,880
1.4044	431	SINOXX 4044	PL=500+2-0 x 30+4-0 x 2000-5000 mm	Wide rolled flats	Flat	Hardened and tempered		Double sided milled - rolled	2,470
1.4044	431	SINOXX 4044	PL=500±6,3 x 100±4,2 x 2000-5000 mm DIN 7527/6	Forged bar	Flat	Hardened and tempered		Unmachined	1,490
1.4044	431	SINOXX 4044	D=40+0-0,16 x 3000-4000 mm EN 10278 (h11)	Rolled bar	Round	Hardened and tempered		Peeled and polished	0,251
1.4044	431	SINOXX 4044	150mm x 150mm x 3580mm	Rolled Billet	Square	Soft annealed		100% grinded	2,750
1.4044	431	SINOXX 4044	150mm x 150mm x 3549mm	Rolled Billet	Square	Soft annealed		100% grinded	2,726
1.4104	430F	SINOXX 4104	131mm x 84mm x 4029mm	Forged bar	Flat	hardened and tempered		4-sided Milled	0,348
1.4112	440B	SINOXX 4112	255mm x 2853,55mm	Forged bar	Round	Soft annealed		Turned	1,144
1.4112	440B	SINOXX 4112	311mm x 2649,58mm	Forged bar	Round	Soft annealed		Turned	1,58
1.4112	440B	SINOXX 4112	311mm x 2703mm	Forged bar	Round	Soft annealed		Turned	1,612
1.4112	440B	SINOXX 4112	16mm x 188800mm EN 10278 (h9)	Rolled bar	Round	Soft annealed			0,261
1.4112	440B	SINOXX 4112	16mm x 201600mm EN 10278 (h9)	Rolled bar	Round	Soft annealed		Grinded and polished	0,279
1.4122, 1.2316		SINOXX 4122, SIHARD 2316	210mm x 6307,63mm	Forged bar	Round	Hardened and tempered		Turned	1,715
1.4125	440 C	SINOXX 4125	38mm x 871850mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	1,075
1.4125	440 C	SINOXX 4125	19mm x 200000mm ASTM A484	Rolled bar	Round	Solution heat treated		Peeled	0,335
1.4125	440 C	SINOXX 4125	44,45mm x 44892mm	Rolled bar	Round	Soft annealed		Peeled	0,532
1.4125	440 C	SINOXX 4125	44,45mm x 93525mm	Rolled bar	Round	Soft annealed		Peeled	0,577
1.4301	S30400/304 304L	SINOXX 4301	D=90+0,6-0 x 5000-6000 mm	Rolled bar	Round	Quenched	VOD	Rough-peeled	2,064
1.4301	S30400/304 304L	SINOXX 4301	D=90+0,6-0 x 5000-6000 mm	Rolled bar	Round	Quenched	VOD	Rough-peeled	2,028
1.4301	S30400/304 304L	SINOXX 4301	D=12,7±0,025 x 3050-3660 mm	Cold drawn steel	Round	Quenched	VOD	Grinded	0,384
1.4313	CAG-NM/S41500	SINOXX 4313	D=505+3-0 x 3000+10-0 mm	Forged bar	Round	Hardened and tempered and Stress-free annealed	VOD	Turned	4,715
1.4401	S31600/316	SINOXX 4401	PL=220+2-0 x 120+2-0 x 1050+10-0 mm	Forged bar	Flat	Quenched	VOD	4-sided milled	0,230
		SINOXX 4418	PL=165+4,95-0 x 31+0,9-0 x 3000-6000 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered	VOD	Sandblasted	0,545
1.4541	S32100/321	SINOXX 4541	D=238+2-0 x 2000-3500 mm	Forged bar	Round	Quenched	VOD+ESR	Turned	0,745
1.4541	S32100/321	SINOXX 4541	D=238+2-0 x 2000-3500 mm	Forged bar	Round	Quenched	VOD+ESR	Turned	0,890
1.4542	17-4PH	SINOXX 4542	PL=42+1,5-0 x 31,75+1-0 x 3660-4270 mm EN 10058%+½+	Rolled bar	Flat	Solution heat treated	VOD	Pickled	1,325
1.4542	17-4PH	SINOXX 4542	PL=42+1,5-0 x 31,75+1-0 x 3660-4270 mm EN 10058%+½+	Rolled bar	Flat	Solution heat treated	VOD	Pickled	1,585
1.4542	17-4PH	SINOXX 4542	PL=42+1,5-0 x 31,75+1-0 x 3660-4270 mm EN 10058%+½+	Rolled bar	Flat	Solution heat treated	VOD	Pickled	2,105
1.4542	17-4PH	SINOXX 4542	PL=58,42±0,75 x 38,1±0,5 x 2000-4000 mm EN 10058%½	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,195
1.4542	S17400/630; 17-4PH	SINOXX 4542	89mm x 45mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,560
1.4542	S17400/630; 17-4PH	SINOXX 4542	59mm x 38mm x 38610mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,625
1.4542	S17400/630; 17-4PH	SINOXX 4542	83mm x 64mm x 7520mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,235
1.4542	S17400/630; 17-4PH	SINOXX 4542	57mm x 25mm x 52920mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,570
1.4542	S17400/630; 17-4PH	SINOXX 4542	PL=57,15±1 x 31,75±1 x 3658+100-0 mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	1,46
1.4542	S17400/630; 17-4PH	SINOXX 4542	PL=57,15±1 x 31,75±1 x 3658+100-0 mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,285
1.4542	S17400/630; 17-4PH	SINOXX 4542	51mm x 19mm x 15615203mm EN 10058	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	1,015
1.4542	S17400/630; 17-4PH	SINOXX 4542	178mm x 57mm x 10981mm DIN 59200	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,255
1.4542	S17400/630; 17-4PH	SINOXX 4542	178,25mm x 57,2932mm x 32944,05mm DIN 59200	Rolled bar	Flat	Solution heat treated	VOD+ESR	Sandblasted	0,565
1.4542	17-4PH	SINOXX 4542	31,75mm x 1063140mm ASTM A484	Rolled bar	Round	Solution heat treated and Precipitation hardened	VOD+ESR	Peeled	0,907
1.4542	17-4PH	SINOXX 4542	44,45mm x 162119,07mm ASTM A484	Rolled bar	Round	Solution heat treated and Precipitation hardened	VOD+ESR	Peeled	0,497
1.4542	17-4PH	SINOXX 4542	38,1mm x 341100mm ASTM A484	Rolled bar	Round	Solution heat treated and Precipitation hardened	VOD+ESR	Peeled	0,473
1.4922		SINOXX 4922	PL=80+1,5-0 x 26+1,5-0 x 3000-5000 mm EN 10058%+½+	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	2,410
1.4922		SINOXX 4922	PL=80+1,5-0 x 26+1,5-0 x 3000-5000 mm EN 10058%+½+	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	2,065
1.4922		SINOXX 4922	PL=80+1,5-0 x 26+1,5-0 x 3000-5000 mm EN 10058%+½+	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	2,130
1.4922		SINOXX 4922	PL=110±2 x 34±1 x 3000-4500 mm EN 10058	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,400
1.4922		SINOXX 4922	PL=118+3-0 x 39+1-0 x 3000-6000 mm EN 10058%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,365
1.4922		SINOXX 4922	PL=460+2-0 x 85+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - sandblasted	2,400
1.4922		SINOXX 4922	PL=410+2-0 x 85+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - sandblasted	0,652
1.4922		SINOXX 4922	PL=155+4,65-0 x 40+1-0 x 3000-6000 mm DIN 59200%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,745
1.4922		SINOXX 4922	PL=78±1 x 50±1,5 x 3000-6000 mm EN 10058	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	1,415
1.4922		SINOXX 4922	PL=84±1,5 x 25±1 x 3000-6000 mm EN 10058	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	1,440
1.4922		SINOXX 4922	PL=108±2 x 38±1 x 3000-6000 mm EN 10058	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	1,350
1.4922		SINOXX 4922	D=18,18+0-0,052 x 3000-4000 mm EN 10278 (h9)	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Grinded and polished	0,725
1.4922		SINOXX 4922	D=18,18+0-0,052 x 3000-4000 mm EN 10278 (h9)	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Grinded and polished	0,376
1.4922		SINOXX 4922	PL=155+4,65-0 x 40+1-0 x 3000-6000 mm DIN 59200%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,860
1.4922		SINOXX 4922	56mm x 36mm x 37840mm EN 10058	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,500
1.4922		SINOXX 4922	56mm x 36mm x 23720mm EN 10058	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,385
1.4922		SINOXX 4922	140mm x 100mm x 3913mm DIN 7527/6	Forged bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,430
1.4922		SINOXX 4922	140mm x 100mm x 3367mm DIN 7527/6	Forged bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,740
1.4021mod	420	SINOXX E770	PL=90+2,25-0 x 22+1-0 x 3000-6000 mm EN 10058%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	1,725
1.4021mod	420	SINOXX E770	KV=110±3,1 x 2000-5000 mm	Rolled Billet	Square	Soft annealed		100% grinded	1,916
1.4021mod	420	SINOXX E770	PL=136+3,75-0 x 36+1-0 x 3000-6000 mm EN 10058%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,390
1.4021mod	420	SINOXX E770	PL=81±1,5 x 18±0,5 x 3000-4500 mm EN 10058	Rolled bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	0,120
1.4021mod	420	SINOXX E770	PL=190+5,7-0 x 40+1-0 x 3000-6000 mm DIN 59200%+½+	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,270
1.4021	~ 410	SINOXX E770	190mm x 40mm x 41100mm DIN 59200	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Double sided milled - sandblasted	1,950
1.4021	~ 410	SINOXX E770	190mm x 40mm x 8220mm DIN 59200	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Double sided milled - sandblasted	0,540
1.4021	~ 410	SINOXX E770	42mm x 25mm x 28150mm EN 10058	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,210
1.4021	~ 410	SINOXX E770	51mm x 25mm x 31380mm EN 10058	Rolled bar	Flat	Hardening out of the rolling heat and tempering (TMO) and stress relief annealing		Sandblasted	0,275
custom made	416R	SINOXX S230	32mm x 81620mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	0,512
custom made	416R	SINOXX S230	44mm x 111300mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	1,084
custom made	416R	SINOXX S230	44mm x 1020250mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	1,084
custom made	416R	SINOXX S230	44mm x 927500mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	1,084
custom made	416R	SINOXX S230	44mm x 556500mm ASTM A484	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Peeled	1,084
custom made	416R	SINOXX S230	32mm x 76000mm ASTM A484	Rolled bar	Round	Quenched and tempered and stress-free annealed [QT + stress free annealed]		Peeled	0,441
custom made	416R	SINOXX S230	38mm x 112000mm ASTM A484	Rolled bar	Round	Quenched and tempered and stress-free annealed [QT + stress free annealed]		Peeled	0,910

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
custom made	416R	SINOXX S230	38mm x 116000mm ASTM A484	Rolled bar	Round	Quenched and tempered and stress-free annealed [QT + stress free annealed]		Peeled	0,942
custom made	Nitronic 60; S21800, B85, 8S, 8SA	SINOXX S490	D=12,7±0,04 x 3660+50-0 mm ASTM A484	Cold drawn steel	Round	Quenched	VOD	Grinded and polished	0,256
custom made	Nitronic 60; S21800, B85, 8S, 8SA	SINOXX S490	D=19,05±0,05 x 3660-4270 mm ASTM A484	Rolled bar	Round	Quenched	VOD	Peeled and polished	0,915
custom made	Nitronic 60; S21800, B85, 8S, 8SA	SINOXX S490	D=19,05±0,05 x 3660-4270 mm ASTM A484	Rolled bar	Round	Quenched	VOD	Peeled and polished	0,270
custom made	Nitronic 60; S21800, B85, 8S, 8SA	SINOXX S490	D=15,88±0,05 x 3660-4270 mm ASTM A484	Rolled bar	Round	Quenched	VOD	Peeled and polished	0,993
custom made	Nitronic 60; S21800, B85, 8S, 8SA	SINOXX S490	D=15,88±0,05 x 3660-4270 mm ASTM A484	Rolled bar	Round	Quenched	VOD	Peeled and polished	0,974
1.1248	1075	SIQUAL 1248	185mm x 95mm x 3912mm DIN 7527/6	Rolled Billet	Flat	Hardened and tempered		Unmachined	0,540
1.2162		SIQUAL 2162	PL=128+3,75-0 x 44+1,5-0 x 3000-4000 mm EN 10058½+½+	Rolled bar	Flat	Soft annealed		Unmachined	0,915
1.2162		SIQUAL 2162	PL=77+1,5-0 x 27+1-0 x 3000-4000 mm EN 10058½+½+	Rolled bar	Flat	Soft annealed		Unmachined	0,605
1.2162		SIQUAL 2162	75mm x 45839mm EN 10060	Rolled bar	Round	Soft annealed		Unmachined	1,655
1.2162		SIQUAL 2162	70mm x 52649mm EN 10060	Rolled bar	Round	Soft annealed		Unmachined	1,610
1.2241		SIQUAL 2241	104mm x 9mm x 250250mm EN 10058	Rolled bar	Flat	Hardened and tempered		Unmachined	1,485
1.2241		SIQUAL 2241	130mm x 12mm x 312000mm EN 10058	Rolled bar	Flat	Hardened and tempered [QT]		Unmachined	1,315
1.2241		SIQUAL 2241	130mm x 12mm x 208000mm EN 10058	Rolled bar	Flat	Hardened and tempered [QT]		Unmachined	1,280
1.2241		SIQUAL 2241	104mm x 14mm x 175500mm EN 10058	Rolled bar	Flat	Hardened and tempered [QT]		Unmachined	1,680
1.2764		SIQUAL 2764	PL=430+2-0 x 252+2-0 x 430+10-0 mm	Forged bar	Flat	Soft annealed		4-sided milled	0,366
1.2764		SIQUAL 2764	18mm x 344898mm EN 10278 (h9)	Rolled bar	Round	Hardened and Spheroidization annealed		Grinded	0,138
1.2764		SIQUAL 2764	18mm x 2049100mm EN 10278 (h9)	Rolled bar	Round	Hardened and Spheroidization annealed		Grinded	0,751
1.2764		SIQUAL 2764	18mm x 1196999mm EN 10278 (h9)	Rolled bar	Round	Hardened and Spheroidization annealed		Grinded	0,753
1.5752	3310, 3415	SIQUAL 5752	40mm x 15mm x 265440mm EN 10058	Rolled bar	Flat	Annealed to a definite hardness		Unmachined	1,280
1.5810		SIQUAL 5810	PL=100±1,5 x 40±1 x 2500-4000 mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,435
1.6565	4340	SIQUAL 6565	293mm x 4374mm	Forged bar	Round	Hardened and tempered [QT]		Turned	2,315
1.6565	4340	SIQUAL 6565	PL=154±2,3 x 136±2,3 x 2970+10-0 mm DIN 7527/6	Forged bar	Flat	Hardened and tempered and Stress-free annealed		Sandblasted	1,912
1.6565	4340	SIQUAL 6565	293mm x 4497mm	Forged bar	Round	Hardened and tempered [QT]		Turned	2,38
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 30mm x 327999mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,630
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	KV=180±4,2 x 4000-5500 mm	Rolled Billet	Square	Soft annealed		100% grinded	0,802
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	D=181+1-0 x 6800+100-0 mm Velikost izvrtine bo 68mm.	Forged bar	Round	Soft annealed		Peeled	0,274
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	KV=180±4,2 x 4000-5500 mm	Rolled Billet	Square	Soft annealed		100% grinded	0,440
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	D=185+2-0 x 4000-5000 mm	Forged bar	Round	Normalized and hardened and tempered		Peeled	1,154
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	KV=300±10 x 3000-5000 mm	Forged billet	Square	Soft annealed		Selectively grinded	1,605
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	D=12+0-0,043 x 3000+100-0 mm EN 10278 (h9)	Cold drawn steel	Round	Soft annealed		Grinded	0,778
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 30mm x 94300mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,925
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 30mm x 155800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,580
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	56mm x 26mm x 430500mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,695
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	56mm x 26mm x 287000mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,185
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 1968000mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,575
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 787200mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,920
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 16400mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,055
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,625
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 151700mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,565
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 73800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,380
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 270599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,600
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,540
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 200899mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,550
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 2386198mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,965
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,575
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 196800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,665
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 418199mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,585
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,760
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 147600mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,200
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,405
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 196800mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,940
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	40mm x 25mm x 221399mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,820
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,750
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 147600mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,265
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 393599mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,745
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 147600mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,245
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	42mm x 21mm x 65600mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,615
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	32mm x 2492400mm EN 10278 (h8)	Forged bar	Round	Soft annealed		Grinded	1,163
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	32mm x 846300mm EN 10278 (h8)	Forged bar	Round	Soft annealed		Grinded	1,163
1.6580	~4340 A/SA723 Gr.1	SIQUAL 6580	32mm x 2120400mm EN 10278 (h8)	Forged bar	Round	Soft annealed		Grinded	1,163
1.6657		SIQUAL 6657	D=220+2-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Turned	1,376
1.6657		SIQUAL 6657	D=220+2-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Turned	1,336
1.6657		SIQUAL 6657	D=47+0,6-0 x 5000-6000 mm	Rolled bar	Round	Soft annealed		Rough-peeled	2,208
1.6773		SIQUAL 6773	D=10+0-0,036 x 3000+100-0 mm EN 10278 (h9)	Rolled bar	Round	Normalized and Soft annealed		Grinded	0,896
1.7103	SAE 9254	SIQUAL 7103	D=19+0-0,033 x 3000+100-0 mm EN 10278 (h8) ovality 0,04	Rolled bar	Round	Soft annealed		Grinded	1,012
1.7103	SAE 9254	SIQUAL 7103	50mm x 8mm x 1771200mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	1,400
1.7131	5115, 5117	SIQUAL 7131	D=644+2-0 / 190+0-2 x 200+2-0 mm	Forging	Forging	Annealed to ferritic-perlitic structure		Turned	0,467
1.7218	~4130	SIQUAL 7218	D=385+3-0 x 3000-6000 mm	Forged bar	Round	Hardened and tempered and Stress-free annealed		Turned	2,570
1.7218	~4130	SIQUAL 7218		Forging	Forging	Hardened and tempered		Turned	0,130
1.7218	~4130	SIQUAL 7218		Forging	Forging	Hardened and tempered		Turned	0,044
1.7218	~4130	SIQUAL 7218		Forging	Forging	Hardened and tempered		Milled	0,153
1.7220	~4135, 4137	SIQUAL 7220	D=101,6+0,6-0 x 3000-5990 mm	Rolled bar	Round	Hardened and tempered		Rough-peeled	1,584
1.7220	~4135, 4137	SIQUAL 7220	D=82,55+0,6-0 x 3000-5990 mm	Rolled bar	Round	Hardened and tempered		Rough-peeled	1,405
1.7220	~4135, 4137	SIQUAL 7220	D=57,15+0,6-0 x 3000-5990 mm	Rolled bar	Round	Hardened and tempered		Rough-peeled	0,430
1.7220	~4135, 4137	SIQUAL 7220	D=95,25+0,6-0 x 3000-5990 mm	Rolled bar	Round	Hardened and tempered		Rough-peeled	0,440

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	1,615
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	0,350
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	1,470
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	1,675
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	1,670
1.7225	4140, ~ 4142	SIQUAL 7225	PL=162+4,86-0 x 22+0,7-0 x 518-5000 multiplier 518+50-0 mm DIN 59200%+½+	Rolled bar	Flat	Hardened and tempered		Sandblasted	1,825
1.7225	4140, ~ 4142	SIQUAL 7225	124mm x 22mm x 132692mm EN 10058	Rolled bar	Flat	Hardened and tempered [HT]		Sandblasted	2,255
1.7225	4140, ~ 4142	SIQUAL 7225	124mm x 22mm x 426510mm EN 10058	Rolled bar	Flat	Hardened and tempered [HT]		Sandblasted	2,435
1.7225	4140, ~ 4142	SIQUAL 7225	124mm x 22mm x 464422mm EN 10058	Rolled bar	Flat	Hardened and tempered [HT]		Sandblasted	0,820
1.7225	4140, ~ 4142	SIQUAL 7225	36mm x 3833500mm EN 10278 (h11)	Rolled bar	Round	Quenched and tempered and stress-free annealed [QT + stress free annealed]		Peeled	1,338
1.7350		SIQUAL 7350	PL=508+2-0 x 25,4+2-0 x 3050-3660 mm	Wide rolled flats	Flat	Soft annealed		4-sided milled	1,946
1.7350		SIQUAL 7350	PL=508+2-0 x 25,4+2-0 x 3050-3660 mm	Wide rolled flats	Flat	Soft annealed		4-sided milled	1,966
1.7380	A182 Grade F22 Cl.1 in 3	SIQUAL 7380		Forging	Forging	Hardened and tempered		Turned	0,416
1.7701	~4150	SIQUAL 7701	KV=300±20 x 4000-6000 mm	Forged billet	Square	Soft annealed		100% grinded	4,44
1.7701	~4150	SIQUAL 7701	KV=300±20 x 4000-6000 mm	Forged billet	Square	Soft annealed		100% grinded	4,460
1.7701	~4150	SIQUAL 7701	KV=300±20 x 4000-6000 mm	Forged billet	Square	Soft annealed		100% grinded	4,400
1.7701	~4150	SIQUAL 7701	KV=300±20 x 4000-6000 mm	Forged billet	Square	Soft annealed		100% grinded	4,660
1.7734		SIQUAL 7734	PL=75±1 x 35±1 x 2000-4000 mm EN 10058	Rolled bar	Flat	Hardened and tempered		Sandblasted	0,070
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,667
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,668
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,667
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,465
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,659
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,650
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,660
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,663
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,680
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,913
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,300
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,315
1.7765		SIQUAL 7765	D=42+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	1,072
1.7765		SIQUAL 7765	D=170+1-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Peeled	1,792
1.7765		SIQUAL 7765	D=200+1-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Peeled	1,842
1.7765		SIQUAL 7765	D=31+0,6-0 x 3000-6000 mm	Rolled bar	Round	Hardened and tempered and Stress-free annealed		Rough-peeled	0,335
1.8159	~6145, 6150	SIQUAL 8159	55mm x 11mm x 566997mm EN 10058	Rolled bar	Flat	Hardened and tempered		Unmachined	1,365
1.8159	~6145, 6150	SIQUAL 8159	55mm x 11mm x 267749mm EN 10058	Rolled bar	Flat	Hardened and tempered		Unmachined	1,565
		SIQUAL 8504	PL=110+2-0 x 80+4-0 x 2000-4000 mm	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	0,796
		SIQUAL 8936	D=175+1-0 x 135-5000 multiplier 135+10-0 mm 42 pc	Forged bar	Round	Hardened and tempered		Peeled	0,860
		SIQUAL M244	D=65+0,6-0 x 3000-6000 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,650
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,374
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,360
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	0,918
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	0,916
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	0,914
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,360
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,394
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,378
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	0,698
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,374
custom made	~4340	SIQUAL S130	KV=88,9±2,69 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	0,520
custom made	~4340	SIQUAL S130	KV=30+1,2-0 x 3000-4200 mm EN 10059 + target 3000 mm	Rolled bar	Square	Soft annealed		Unmachined	2,130
custom made	~4340	SIQUAL S130	KV=127±3,91 x 2440-3660 mm	Rolled Billet	Square	Soft annealed		Selectively grinded	1,390
custom made	~4340	SIQUAL S130	D=66,68+0-0,12 x 3000-4000 mm EN 10278 (h10)	Rolled bar	Round	Normalized and Tempered		Peeled	0,385
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,798
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,796
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,704
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,798
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,793
custom made	501	SIQUAL S350	D=19,05±0,05 x 3050-3660 mm	Rolled bar	Round	Spheroidization annealed		Grinded	0,234
1.3346	M1	SIRAPID 3346	D=74+0,6-0 x 1454-6000 multiplier 1454+100-0 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,110
1.3346	M1	SIRAPID 3346	D=63+0,6-0 x 1238-6000 multiplier 1238+100-0 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,165
1.3346	M1	SIRAPID 3346	D=101+1-0 x 1805-6000 multiplier 1805+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,470
1.3346	M1	SIRAPID 3346	D=101+1-0 x 1805-6000 multiplier 1805+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,235
1.3346	M1	SIRAPID 3346	108mm x 3254mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,936
1.3346	M1	SIRAPID 3346	108mm x 1843mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,530
1.3346	M1	SIRAPID 3346	107mm x 1587mm	Forged bar	Round	Spheroidization annealed	ESR	Peeled	0,560
1.3346	M1	SIRAPID 3346	162mm x 2658mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,860
1.3346	M1	SIRAPID 3346	162mm x 2660mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,430
1.3346	M1	SIRAPID 3346	162mm x 2660mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,430
1.3346	M1	SIRAPID 3346	63mm x 3000mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,495
1.3346	M1	SIRAPID 3346	75mm x 45529mm	Rolled bar	Round	Spheroidization annealed		Rough-peeled	0,690
1.3346	M1	SIRAPID 3346	93mm x 3721mm	Forged bar	Round	Spheroidization annealed	ESR	Peeled	0,992
1.3346	M1	SIRAPID 3346	93mm x 1875mm	Forged bar	Round	Spheroidization annealed	ESR	Peeled	0,200
1.3346	M1	SIRAPID 3346	75mm x 66586mm	Rolled bar	Round	Spheroidization annealed		Rough-peeled	0,120
1.3346	M1	SIRAPID 3346	75mm x 56342mm	Rolled bar	Round	Spheroidization annealed		Rough-peeled	0,680
1.3348	M7	SIRAPID 3348	D=110+1-0 x 1633-6000 multiplier 1633+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,872

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.3348	M7	SIRAPID 3348	D=110+1-0 x 1830-6000 multiplier 1830+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,256
1.3348	M7	SIRAPID 3348	D=110+1-0 x 1830-6000 multiplier 1830+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	1,258
1.3348	M7	SIRAPID 3348	D=110+1-0 x 1633-6000 multiplier 1633+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,650
1.2343	~H 11	SITHERM 2343	PL=317+2-0 x 210+2-0 x 3000-4000 mm	Forged bar	Flat	Spheroidization annealed	ESR	4-sided milled	1,700
1.2343	~H11	SITHERM 2343	171mm x 110mm x 3975mm DIN 7527/6	Forged bar	Flat	Soft annealed		Milled width	1,174
1.2343	~H 11	SITHERM 2343	D=232+2-0 x 3295+10-0 mm	Forged bar	Round	Spheroidization annealed	EFS	Turned	1,098
1.2343	~H 11	SITHERM 2343	D=81+0,6-0 x 3000-5000 mm	Rolled bar	Round	Hardened and tempered	EFS	Rough-peeled	0,475
1.2343	~H 11	SITHERM 2343	PL=80±0,75 x 30±0,5 x 3000-6000 mm EN 10058%½	Rolled bar	Flat	Soft annealed		Sandblasted	0,365
1.2343	~H 11	SITHERM 2343	PL=63±0,75 x 32±0,5 x 3000-6000 mm EN 10058%½	Rolled bar	Flat	Soft annealed		Sandblasted	1,520
1.2343	~H 11	SITHERM 2343	PL=180±2,7 x 40+0,55-0,45 x 353-6000 multiplier 353+100-0 mm DIN 59200%½	Rolled bar	Flat	Soft annealed		Sandblasted	1,295
1.2343	~H 11	SITHERM 2343	PL=130±1,875 x 29±0,5 x 508-6000 multiplier 508+100-0 mm EN 10058%½	Rolled bar	Flat	Soft annealed		Sandblasted	2,245
1.2343	~H 11	SITHERM 2343	PL=130±1,875 x 29±0,5 x 508-6000 multiplier 508+100-0 mm EN 10058%½	Rolled bar	Flat	Soft annealed		Sandblasted	0,440
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3225mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	1,216
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3375mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	2,036
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3487mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	2,104
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3225mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	1,216
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3474mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	2,096
1.2343	~H 11	SITHERM 2343	100mm x 85mm x 3441mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	2,076
1.2343	~H 11	SITHERM 2343	297mm x 4009mm	Forged bar	Round	Spheroidization annealed	EFS	Turned	2,180
1.2344	~H 13	SITHERM 2344	PL=218±2,6 x 109±2,2 x 1787-6000 multiplier 1787+10-0 mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,675
1.2344	~H13	SITHERM 2344	192mm x 101mm x 3510,86mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Milled width	0,568
1.2344	~H 13	SITHERM 2344	D=242+2-0 x 2000-4000 mm	Forged bar	Round	Soft annealed		Turned	0,385
1.2344	~H 13	SITHERM 2344	PL=107+3-0 x 35+1-0 x 1737-6000 multiplier 1737+50-0 mm EN 10058%½+½+	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	0,600
1.2344	~H 13	SITHERM 2344	PL=107+3-0 x 35+1-0 x 1737-6000 multiplier 1737+50-0 mm EN 10058%½+½+	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	0,210
1.2344	~H 13	SITHERM 2344	PL=170±3,4 x 35+1,1-0,7 x 3000-5000 mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	0,665
1.2344	~H 13	SITHERM 2344	PL=218±2,6 x 109±2,2 x 1787-6000 multiplier 1787+10-0 mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,675
1.2344	~H 13	SITHERM 2344	PL=154+2-0 x 82+4-0 x 2060-6000 multiplier 2060+50-0 mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - sandblasted	1,658
1.2344	~H 13	SITHERM 2344	PL=154+2-0 x 82+4-0 x 2060-6000 multiplier 2060+50-0 mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - sandblasted	1,654
1.2344	~H 13	SITHERM 2344	PL=154+2-0 x 82+4-0 x 2060-6000 multiplier 2060+50-0 mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - sandblasted	1,656
1.2344	~H 13	SITHERM 2344	PL=154+2-0 x 82+4-0 x 2060-6000 multiplier 2060+50-0 mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - sandblasted	1,242
1.2344	~H 13	SITHERM 2344	PL=210±2,6 x 110±1,8 x 3510+10-0 mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,660
1.2344	~H 13	SITHERM 2344	165mm x 93mm x 3017mm	Wide rolled flats	Flat	Spheroidization annealed	EFS	Double sided milled - rolled	1,560
1.2344	~H 13	SITHERM 2344	299mm x 133mm x 1762mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,550
1.2344	~H 13	SITHERM 2344	340mm x 152mm x 1701mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,690
1.2344	~H13	SITHERM 2344	243mm x 99mm x 2899mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed		Unmachined	1,095
1.2344	~H 13	SITHERM 2344	PL=186±2,2 x 109±1,8 x 1787-6000 multiplier 1787+10-0 mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,574
1.2344	~H 13	SITHERM 2344	D=15+0-0,11 x 2500+100-0 mm EN 10278 (h11)	Rolled bar	Round	Spheroidization annealed	EFS	Grinded	0,650
1.2344	~H 13	SITHERM 2344	D=15+0-0,11 x 2500+100-0 mm EN 10278 (h11)	Rolled bar	Round	Spheroidization annealed	EFS	Grinded	0,365
1.2344	~H 13	SITHERM 2344	D=15+0-0,11 x 2500+100-0 mm EN 10278 (h11)	Rolled bar	Round	Spheroidization annealed	EFS	Grinded	0,210
1.2344	~H 13	SITHERM 2344	D=15+0-0,11 x 2500+100-0 mm EN 10278 (h11)	Rolled bar	Round	Spheroidization annealed	EFS	Grinded	0,564
1.2344	~H 13	SITHERM 2344	PL=186±2,2 x 109±1,8 x 1787-6000 multiplier 1787+10-0 mm DIN 7527/6	Forged bar	Flat	Spheroidization annealed	EFS	Unmachined	0,574
1.2344	~H 13	SITHERM 2344		Forging	Forging	Hardened and tempered and Stress-free annealed		Turned	0,530
1.2344	~H 13	SITHERM 2344	PL=170±3,4 x 35+1,1-0,7 x 3000-5000 mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	0,430
1.2344	~H13	SITHERM 2344	116mm x 29mm x 34159mm EN 10058	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,050
1.2344	~H13	SITHERM 2344	66mm x 210960mm	Rolled bar	Round	Spheroidization annealed	EFS	Rough-peeled	2,670
1.2344	~H13	SITHERM 2344	66mm x 111340mm	Rolled bar	Round	Spheroidization annealed	EFS	Rough-peeled	2,796
1.2344	~H13	SITHERM 2344	85mm x 44480mm	Rolled bar	Round	Spheroidization annealed	EFS	Rough-peeled	1,940
1.2345	Approx. H11	SITHERM 2345	PL=204+6,12-0 x 26,5+0,8-0 x 355-5000 multiplier 355+50-0 mm DIN 59200%½+½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,995
1.2345	Approx. H11	SITHERM 2345	335mm x 58mm x 3860mm EN 10058	Wide rolled flats	Flat	Soft annealed		Double sided milled - rolled	1,220
1.2345	Approx. H11	SITHERM 2345	201mm x 49mm x 19416mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,660
1.2345	Approx. H11	SITHERM 2345	D=653+2-0 / 297+0-2 x 58+10-0 mm	Forging	Forging	Soft annealed		Turned	0,363
1.2345	Approx. H11	SITHERM 2345	PL=75+1,5-0 x 23+1-0 x 4200-6000 mm EN 10058%½+½+	Rolled bar	Flat	Spheroidization annealed		Sandblasted	1,150
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 114500mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,850
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 233580mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,885
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 174040mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,835
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 668680mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,775
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 723640mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,785
1.2345	Approx. H11	SITHERM 2345	205mm x 19mm x 778600mm DIN 59200	Rolled bar	Flat	Spheroidization annealed	EFS	Sandblasted	1,785
1.2362		SITHERM 2362	D=245+2-0 x 4450+10-0 mm	Forged bar	Round	Soft annealed		Turned	1,612
1.2362		SITHERM 2362	D=145+1-0 x 1350+50-0 mm	Forged bar	Round	Soft annealed		Peeled	0,180
1.2362		SITHERM 2362	D=180+1-0 x 1830-6000 multiplier 1830+10-0 mm	Forged bar	Round	Soft annealed		Peeled	0,368
1.2362		SITHERM 2362	D=147+1-0 x 1924-6000 multiplier 1924+10-0 mm	Forged bar	Round	Soft annealed		Peeled	1,025
1.2362		SITHERM 2362	D=147+1-0 x 1924-6000 multiplier 1924+10-0 mm	Forged bar	Round	Soft annealed		Peeled	0,774
1.2362		SITHERM 2362	D=240+2-0 x 1498-6000 multiplier 1498+10-0 mm	Forged bar	Round	Soft annealed		Turned	0,532
1.2362		SITHERM 2362	D=240+2-0 x 1500-6000 multiplier 1500+10-0 mm	Forged bar	Round	Soft annealed		Turned	0,537
1.2362		SITHERM 2362	151mm x 5975mm	Forged bar	Round	Soft annealed		Peeled	0,840
1.2362		SITHERM 2362	183mm x 1265-6000mm M: 1265mm +10-0mm W: +1-0mm	Forged bar	Round	Soft annealed		Peeled	0,261
1.2362		SITHERM 2362	183mm x 2833mm	Forged bar	Round	Soft annealed		Peeled	1,170
1.2362		SITHERM 2362	183mm x 1265-6000mm M: 1265mm +10-0mm W: +1-0mm	Forged bar	Round	Soft annealed		Peeled	0,262
1.2362		SITHERM 2362	236mm x 2819mm	Forged bar	Round	Soft annealed		Turned	0,968
1.2362		SITHERM 2362	143mm x 3828mm	Forged bar	Round	Soft annealed		Peeled	0,724
1.2362		SITHERM 2362	147mm x 3823mm	Forged bar	Round	Soft annealed		Peeled	0,764
1.2362		SITHERM 2362	125mm x 3514mm	Forged bar	Round	Soft annealed		Peeled	1,354
1.2362		SITHERM 2362	185mm x 2133mm	Forged bar	Round	Soft annealed		Peeled	0,450
1.2362		SITHERM 2362	145mm x 1620mm	Forged bar	Round	Soft annealed		Peeled	0,420
1.2362		SITHERM 2362	145mm x 1767mm	Forged bar	Round	Soft annealed		Peeled	0,458

W. No.	AISI	Brand Name ↓	Dimensions	Product type	Product form	Heat treatment	Special Treatment	Surface treatment	Primary Qty (t)
1.2362		SITHERM 2362	145mm x 1311mm	Forged bar	Round	Soft annealed		Peeled	0,340
1.2362		SITHERM 2362	147mm x 3963mm	Forged bar	Round	Soft annealed		Peeled	0,528
1.2362		SITHERM 2362	180mm x 2862mm	Forged bar	Round	Soft annealed		Peeled	0,758
1.2362		SITHERM 2362	241mm x 2027mm	Forged bar	Round	Soft annealed		Turned	0,726
1.2362		SITHERM 2362	110mm x 1729mm	Forged bar	Round	Soft annealed		Peeled	0,258
1.2362		SITHERM 2362	108mm x 3014mm	Forged bar	Round	Soft annealed		Peeled	0,650
1.2362		SITHERM 2362	108mm x 3014mm	Forged bar	Round	Soft annealed		Peeled	0,650
1.2362		SITHERM 2362	243mm x 2077mm	Forged bar	Round	Soft annealed		Turned	0,756
1.2362		SITHERM 2362	249mm x 3806mm	Forged bar	Round	Soft annealed		Turned	1,455
1.2362		SITHERM 2362	110mm x 3921mm	Forged bar	Round	Soft annealed		Peeled	1,170
1.2362		SITHERM 2362	D=46+0,6-0 x 305-6000 multiplier 305+100-0 mm	Rolled bar	Round	Soft annealed		Rough-peeled	1,096
1.2362		SITHERM 2362	110mm x 3387mm	Forged bar	Round	Soft annealed		Peeled	0,758
1.2362		SITHERM 2362	110mm x 1698mm	Forged bar	Round	Soft annealed		Peeled	0,380
1.2362		SITHERM 2362	110mm x 3366mm	Forged bar	Round	Soft annealed		Peeled	0,502
1.2367		SITHERM 2367	D=341+3-0 x 3800-4300 mm	Forged bar	Round	Spheroidization annealed	EFS	Turned	3,075
1.2367		SITHERM 2367	D=303+3-0 x 3500-4500 mm (the ends are cut square at 3 mm centres)	Forged bar	Round	Spheroidization annealed	EFS	Turned	2,252
1.2367		SITHERM 2367	16mm x 1140000mm EN 10278 (h11)	Rolled bar	Round	Spheroidization annealed	EFS	Peeled	1,613
1.2714		SITHERM 2714	D=172+1-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Peeled	2,704
1.2714		SITHERM 2714	D=503+3-0 x 630+10-0 mm	Forged bar	Round	Soft annealed		Turned	1,020
1.2714		SITHERM 2714	D=323+3-0 x 3000-5000 mm	Forged bar	Round	Soft annealed		Turned	2,080
1.2714		SITHERM 2714	PL=137±2,5 x 45±1,5 x 4650+100-0 mm EN 10058	Rolled bar	Flat	Soft annealed		Unmachined	0,225
custom made		SITHERM S350R	PL=44+1,5-0 x 15+0,75-0 x 3870-5000 mm EN 10058%+%	Rolled bar	Flat	Spheroidization annealed	ESR	Sandblasted	1,145
		SITHERM S356	D=181+1-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Peeled	0,956
		SITHERM S356	D=181+1-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Peeled	0,948
		SITHERM S356	D=181+1-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Peeled	0,892
		SITHERM S356	D=181+1-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Peeled	0,944
		SITHERM S356	D=181+1-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Peeled	0,620
		SITHERM S356	D=402+3-0 x 4000-5000 mm	Forged bar	Round	Spheroidization annealed	EFS	Turned	3,230
1.2362 mod		SITHERM S364		Forging	Forging	Soft annealed	ESR	Unmachined	2,425
1.2362 mod		SITHERM S364		Forging	Forging	Soft annealed		Unmachined	0,461
1.2362 mod		SITHERM S364		Forging	Forging	Soft annealed		Unmachined	0,461
1.2362 mod		SITHERM S364		Forging	Forging	Soft annealed		Unmachined	0,473
1.2362 mod		SITHERM S364		Forging	Forging	Soft annealed		Unmachined	0,473
		SITHERM S364	125mm x 1318mm	Forged bar	Round	Soft annealed		Peeled	0,254
		SITHERM S364	221mm x 1800mm	Forged bar	Round	Soft annealed		Turned	0,542
		SITHERM S364	160mm x 4435mm	Forged bar	Round	Soft annealed		Peeled	1,400
		SITHERM S364	205mm x 3780mm	Forged bar	Round	Soft annealed		Peeled	1,632
		SITHERM S364	122mm x 2833mm	Forged bar	Round	Soft annealed		Peeled	1,040
		SITHERM S364	122mm x 3155mm	Forged bar	Round	Soft annealed		Peeled	1,158
		SITHERM S460	PL=125±2,5 x 40±1 x 3300-4200 mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,565
		SITHERM S460	PL=92±1,5 x 32±1 x 3300-4200 mm EN 10058	Rolled bar	Flat	Soft annealed		Sandblasted	0,285
custom made	H13M	SITHERM S570	D=79,5+0,6-0 x 982-6000 multiplier 982+100-0 mm	Rolled bar	Round	Soft annealed		Rough-peeled	0,195
custom made	H13M	SITHERM S570	D=177+1-0 x 1292-6000 multiplier 1292+10-0 mm	Forged bar	Round	Soft annealed		Peeled	1,006
custom made	H13M	SITHERM S570	D=107+1-0 x 1688-6000 multiplier 1688+10-0 mm	Forged bar	Round	Soft annealed	ESR	Peeled	0,964